

CUSTOM CLUB OPTIONS

DRIVER

SIM



RH - 8° / 9° / 10.5°
LH - 9° / 10.5°

**SIM
MAX**



RH - 9° / 10.5° / 12°
LH - 9° / 10.5°

**SIM
MAX-D**



RH - 10.5° / 12°

FAIRWAYWOODS

SIM



RH - Rocket - #3 - 14°
RH / LH - #3 - 15°
#5 - 19°

**SIM
MAX**



RH - Rocket - #3 - 14°
RH / LH - #3 - 15°
#5 - 19°
RH - #7 - 21°

CUSTOM CLUB OPTIONS

UTILITY

**SIM[™]
UDI**



RH - #2 - 18° / #3 - 20°

**SIM[™]
DHY**



RH - #3 - 19° / #4 - 22°

**SIM
MAX**



RH / LH - #3 - 19° / #4 - 22°
RH - #5 - 25°

IRON

P·7TW



RH - #3 - PW

P·7MB



RH - #3 - PW

P·7MC



RH - #3 - PW

P·770



RH - #3 - PW
LH - #4 - PW

P·790



RH - #3 - PW
LH - #4 - PW
RH - #2 UDI

P·790^{Ti}



RH - #5 - PW

WEDGE













**MILLED
GRIND 2**

CHROME - 48° / 50° / 52° / 54° / 56° / 58° / 60°
BLACK - 50° / 52° / 54° / 56° / 58°



CUSTOM CLUB OPTIONS

DRIVER / FAIRWAY


Shaft Model	Flex	Weight(g)	Torque	Launch	Design
GRAPHITE DESIGN					
NEW Tour AD HD 5	S	59	4.4	Mid	
NEW Tour AD HD 6	S	66	3.1		
Tour AD XC 5	R1 / S	54 / 56	4.2	Mid Low	
Tour AD XC 6	S / X	64 / 65	3.2		
Tour AD XC 7	S / X	73 / 75	3.0		
Tour AD VR 4	R1	46	5.7	Mid	
Tour AD VR 5	R1 / S	56 / 57	4.5		
Tour AD VR 6	S / X	63 / 66	3.2		
Tour AD VR 7	S / X	73 / 75	3.0		
Tour AD IZ 5	R1 / S	54 / 56	4.5 / 4.4	Mid	
Tour AD IZ 6	S / X	63 / 65	3.2		
Tour AD IZ 7	S	72	3.1		
Tour AD TP 5	R1 / S	56 / 57	4.4	Mid	
Tour AD TP 6	S / X	65 / 67	3.2		
Tour AD TP 7	S	73	3.0		
Tour AD TP 8	S / X	85 / 87	2.6		
Tour AD SL Pink(RR2)	RR2	49	5.3	High	
MITSUBISHI CHEMICAL					
Diamana ZF 50	S	57.5	4.6	Mid Low	
Diamana ZF 60	S / X	64 / 67.5	3.8		
Diamana ZF 70	S / X	73 / 76.5	3.1		
Diamana DF 50	S	58	4.6	Mid Low	
Diamana DF 60	S / X	64 / 66	3.8		
Diamana DF 70	S / X	73 / 77	3.1		
Tensei Pro Orange 50	S	57	4.9	Low	
Tensei Pro Orange 60	S / X	63.5 / 66	3.5 / 3.4		
Tensei Pro Orange 70	S / X	71.5 / 73	2.9 / 2.8		
Diamana S Limited	R / S / X	60 / 63 / 66	4.2 / 3.8 / 3.3	Mid	
FUJIKURA					
Speeder Evo5 569	R / S	56.5 / 59.5	4.5	Mid High	
Speeder Evo5 661	S / X	66 / 68	3.7		
Speeder Evo5 757	S / X	75.5 / 77	3.0		
Speeder Evo4 569	R / S	56 / 59	4.6	Mid	
Speeder Evo4 661	S / X	67.5 / 69.5	3.7		
Speeder Evo4 757	S / X	77 / 79	3.1		

CUSTOM CLUB OPTIONS








UTILITY

Shaft Model	Flex	Weight(g)	Torque	Launch	Design
GRAPHITE DESIGN					
Tour AD HY 65	R / S	67	3.5	Mid	
Tour AD HY 75	R / S	77 / 78	3.1		
Tour AD HY 85	S / X	88 / 89	2.4		
Tour AD DI 75	R / S	78	3.1	Mid	
Tour AD DI 85	S / X	88	2.4		
Tour AD DI 95	S / X	98 / 99	2.4		
MITSUBISHI CHEMICAL					
Tensei Pro Orange 60	R / S	59.5 / 60	5.0	Low	
Tensei Pro Orange 70	S / X	71 / 74.5	3.9 / 3.8		
Tensei Pro Orange 80	S / X	82 / 85	3.2		
Tensei Pro Orange 90	S / X	87 / 90	2.8 / 2.7		
Diamana Thump 90	S	93	2.3		
KBS					
KBS HB	70R / 80S	77 / 81	2.3	Mid High	
NS PRO					
NS PRO 910	R / S	95 / 100	2.0	Mid High	

P790 UOI










Shaft Model	Flex	Weight(g)	Torque	Launch	Design
UST GRAPHITE					
PROJECT X HZRDU SMOKE	90 S	92	2.3	Low	
	100 X	106	2.1	Low	

IRONS / WEDGE

Shaft Model	Flex	Weight(g)	Torque	Launch	Design
NS PRO					
Zelos 6(#5-PW)	R	68.5	3.0	High	
Zelos 7(#4-PW)		74	2.8		
NS 850 S(#4-PW)	S	91	2.0		
NS PRO 950 NEO	R / S	94.5 / 98	1.9 / 1.7	High	
NS 950	R / S	94.5 / 98	2.0 / 1.8		
NS Modus3 105	R / S	103 / 106.5	1.9 / 1.7	Mid	
NS Modus3 120(#4-PW)	S	114	1.7	Mid Low	
KBS					
KBS C-Taper Lite	S	110		Mid High	
KBS C-Taper	X	120 / 130	2.0 / 1.8	Low	
KBS Tour	S / X	120 / 130	2.0 - 1.8	Mid Low	

CUSTOM CLUB OPTIONS

IRONS / WEDGE

Shaft Model	Flex	Weight(g)	Torque	Launch	Design
PROJECT					
Project X	5.5 / 6.0 / 6.5	115 / 120 / 125	1.8 / 1.6	Low	
Project X LZ	5.5 / 6.0 / 6.5	115 / 120 / 125	1.9 - 1.6	Mid	
DYNAMIC GOLD					
Dynamic Gold Tour Issue EX	S200	131	2.0	Low	
Dynamic Gold 120 VSS	S200	118	TBD	Mid Low	
Dynamic Gold Tour Issue	S400 / X100	132 / 130	1.6 / 1.5	Low	
GRAPHITE DESIGN					
Tour AD SL 50 (Pink #5-PW)	L	50 - 52	3.8 - 3.9	High	
Tour AD IZ 65(#4-PW)	R / S	67 - 68	2.7 - 2.5	Mid High	
Tour AD IZ 75(#4-PW)	S	78 - 80	2.8	Mid High	
UST GRAPHITE					
Recoil(#5-PW)	R	58	4.0	High	

재고 소진 시 단종 모델 DRIVER / FAIRWAY

Shaft Model	Flex	Weight(g)	Torque	Launch
GRAPHITE DESIGN				
Tour AD GP 5	R1 / S	56 / 57	4.3	Mid
Tour AD GP 7	X	75	2.9	
Tour AD GP 8	S / X	84 / 85	2.7	
Tour AD MJ 5	R1	53	4.7	Mid
Tour AD MJ 6	S / X	62 / 64	3.4	
Tour AD BB 6	S / X	62 / 64	3.4	Mid
Tour AD BB 7	S / X	65 / 66.5	3.2	
Tour AD MT 5	R1 / S	54 / 56	4.7	Mid
Tour AD DI 5	R1	55	4.7	Mid
Tour AD F 55 <FW Only>	R1 / S	60	5.0	Mid
Tour AD F 65 <FW Only>	SR / S / X	68 / 68 / 70	3.3	
Tour AD F 75 <FW Only>	S / X	77 / 79	3.2	

CUSTOM CLUB OPTIONS

재고 소진 시 단종 모델 DRIVER / FAIRWAY

Shaft Model	Flex	Weight(g)	Torque	Launch
MITSUBISHI CHEMICAL				
Diamana RF 60	X	68	3.5	Mid
Diamana RF 70	S / X	73 / 76	2.9	
Diamana BF 60	X	69	3.9	Mid
Diamana BF 70	S / X	73.5 / 77	3.4	
Kurokage XM 50	R / SR / S	52 / 53 / 55	5.1 / 4.9 / 4.9	Mid
Kurokage XM 60	S / X	63 / 66	3.6 / 3.4	
Kurokage XM 70	S / X	74 / 77	3.2 / 3.1	
Kurokage XD 50	R / S	53 / 58	5.7 / 5.5	Mid Low
Kurokage XD 60	S	64.5	3.5	
Kurokage XD 70	S	75	3	
Bassara P 43	R	49	5.9	High
Bassara P 53	R / SR / S	53 / 55 / 57	4.4 / 4.3 / 4.3	
Fubuki Ai 50	R / SR / S	55.5 / 56.5 / 58.5	5.4 / 5.3 / 5.2	Mid High
Fubuki Ai 60	SR / S	61.5 / 63.5	4.3 / 4.2	
Fubuki Ai 2 50	R / SR / S	55 / 57 / 58.5	6.0	Mid High
Fubuki Ai 2 60	SR / S / X	61 / 62.5 / 63.5	4.4 / 4.3 / 4.3	
Tensei Orange 60<GL Stock>	R	66	4.6	Mid
Tensei Blue 60<GL Stock>	R	64	4.5	

재고 소진 시 단종 모델 RESCUE / IRON / WEDGE

Shaft Model	Flex	Weight(g)	Torque	Launch
RESCUE / GAPR				
Bassara H 50	L	47	4.2	Mid High
Bassara H 60	R	60	3.5	
Fubuki H350	R	68	3.2	Mid
Fubuki H400	S	78	2.9	
IRON / WEDGE				
Project PXI	5.5 / 6.0 / 6.5	108 - 112	2.0 - 1.8	Mid
Dynamic Gold AMT	S300 / X100	112 - 130	2.1 - 1.5	Low
Dynamic Gold	S200 / S300 / X100	127 / 120 / 119	1.7 / 1.7 / 1.5	Low